

Descriptions:

- 1) Size: From 6U to 47U, see below table for details
- 2) Color: Black, RAL- 9004

Certificate:

- 1) Certificate: GB/T19001-2008
- 2) ISO9001:2008

Features:

- 1) 600mm and 800mm wide body
- 2) Front tempered glass locking door - or perforated
- 3) Back full metal locking door or perforated doors
- 4) Easy-removable side panels
- 5) Fan tray fixed in the top
- 6) Shelves
- 7) Mounting rails / beams in front and back

Standards Compliance:

- 1) Comply with ANSI/EIA RS-310-D, IEC297-2, DIN41491; DIN41494; Part7, GB/T3047.2-92 Standard
- 2) Compatible with 19" international standard and Metric Standard & ETSI



Ordering Info:

Part No.	Capacity (U)	Width (mm)	Depth (mm)	Height (mm)	Shelf (piece)	
100449	6	600	450		1	
100450	9	600	600			
100451	12	600	600			
100452	15	600	600			
100453	15	600	800			
100454	18	600	600	988		
100455		800	800			
100456		600	1000			
100462	27	600	600	1388		
100463		600	800			
100464		600	1000			
100465		800	800			
100466		800	1000			
100467	32	600	600	1610		
100468		600	800			
100469		600	1000			
100470		800	1000			
100471		600	800			
100472		800	800			
100473		800	1000			
100474	37	600	800	1833		
100475		800	800			
100476		800	1000			
100477	42	600	600	2055		
100478		600	800			
100479		600	1000			
100480		800	800			
100481		800	1000			
100482	47	800	1000	2277	3	
Part No.	Description					
100465GPS	27U Flat pack cabinet 800X800 with front glass door and perforated back metal dual doors, four fans and accessories, Vertical Cable manager and 6 way PDU with ON/Off switch					
100466GPS	27U Flat pack cabinet 800X1000 with front glass door and perforated back metal dual doors, four fans and accessories, Vertical Cable manager and 6 way PDU with ON/Off switch					
100472GPS	32U Flat pack cabinet 800X800 with front glass door and perforated back metal dual doors, four fans and accessories, Vertical Cable manager and 6 way PDU with ON/Off switch					
100473GPS	32U Flat pack cabinet 800X800 with front glass door and perforated back metal dual doors, four fans and accessories, Vertical Cable manager and 6 way PDU with ON/Off switch					
100480GPS	42U Flat pack cabinet 800X800 with front glass door and perforated back metal dual doors, four fans and accessories, Vertical Cable manager and 6 way PDU with ON/Off switch					
100481GPS	42U Flat pack cabinet 800X1000 with front glass door and perforated back metal dual doors, four fans and accessories, Vertical Cable manager and 6 way PDU with ON/Off switch					
100482GPS	47U Flat pack cabinet 800X1000 with front glass door and perforated back metal dual doors, four fans and accessories, Vertical Cable manager and 6 way PDU with ON/Off switch					
100480PPS	42U Flat pack cabinet 800X800 with perforated front and back metal doors, four fans and accessories, Vertical Cable manager and 6 way PDU with ON/Off switch					
100481PPS	42U Flat pack cabinet 800X1000 with perforated front and back metal doors, four fans and accessories, Vertical Cable manager and 6 way PDU with ON/Off switch					
100491	6 ways PDU, UK sockets with main on/off switch					
100492	8 ways PDU, UK sockets with main on/off switch					
100493	10 ways PDU, UK sockets with main on/off switch					
100494	12 ways PDU, UK sockets with main on/off switch					
100494-IEC	12 IEC socket surge protected PDU TEMPEST filtered					

Main Size:

The Cabinet Installation Diagram

1. Front Glass Door
2. Side Door
3. Top Cover
4. Top Cover Board
5. Back Door
6. Frame
7. Mounting Angle
8. Bottom Cover
9. Mounting Profile
10. Fan Tray
11. M8*12 Inside Hexagonal Screw
12. Adjustable Feet
13. Castors
14. Bottom Cover Board
15. M8 Flange Nut
16. M4*8 Self-Tapping Screw
17. M6*12 & Washer
18. M6 Cage & Nuts
19. M6 Flange Nut
20. L Type Side Door Baffle
21. Vertical Cable Manager
22. Cages for Grounding

